



Packer Vinyl Overshoe

The Packer is made of a special unlined elastic vinyl that will stretch to fit over bulky workshoes. This low-cut overshoe features a slip-resistant outsole. It resists animal fats, petroleum, oils, greases and barnyard acids. Specify sizes XS-2XL when ordering. Black. Packed in polybag. Sold by the pair.



Item No	Description	EA	10
LAC88121	Overshoe	00.00	00.00



Pack-Lite™ Vinyl Boot

This stretchable, unlined vinyl boot resists animal fats, petroleum, oils, greases and barnyard acids. It features rust-proof snaps, a slip-resistant outsole and a full-opening gusset. Ideal for meat and food processing, construction and general outdoor use. Sizes 6-15 in two heights: 11" and 16". Specify sizes

when ordering. Black. Packed in polybag. Sold by the pair.

Item No	Description	EA	10
LAC89321	11" Vinyl Overboot	00.00	00.00
LAC89421	16" Vinyl Overboot	00.00	00.00



TINGLEY
A ONE HUNDRED YEAR TRADITION

1300, 1400, 1500 Series Rubber Overshoe and Boot

Made of stretch rubber compound for protection against organic acids, salts, alkalis and alcohols, the Rubber Overshoe will not crack or stiffen, even in the coldest weather. Injection

technology allows for less rubber in the upper, giving greater stretchability for easy on and off. More rubber in the heel, toe and sole means greater durability and a slip-resistant tread. Available in a hi-top shoe, 10" boot or 17" knee boot. Black Rubber or Red Neoprene. Specify sizes S-2XL when ordering. Sold by the pair.

Item No	Description	EA	10
TIN1250	Rubber Overshoe	00.00	00.00
TIN1300	Hi-Top Black Rubber Overshoe	00.00	00.00
TIN1340	Hi-Top Brick Red Neoprene Overshoe	00.00	00.00
TIN1400	10" Black Rubber Overboot	00.00	00.00
TIN1440	10" Brick Red Neoprene Overboot	00.00	00.00
TIN1500	17" Black Rubber Knee Overboot	00.00	00.00



SERVUS
Servus Gets the Standard

Servus™ Lite 'n Grit™ Overshoe

Get slip-resistance and waterproof protection from this top-quality overshoe. Made from chemical-resistant PVC, it features aluminum oxide grit molded into the sole for excellent traction. The PVC construction provides exceptional

cold weather flex. Available in three models: low-cut shoe, 10" boot and 17" boot. For sizes see sizing chart below. Black. Sold by the pair.

Item No	Description	EA	10
SERSR105	Low-Cut Shoe	00.00	00.00
SERSR106	10" Boot	00.00	00.00
SERSR107	17" Boot	00.00	00.00



Rainfair

HAZMAT Boot

Economical protection against acids, alcohols, salts and keytones. The HAZMAT Boot is made of seamless, disposable latex rubber that stretches to go on easily over work shoes. Sure footing in wet environments is provided by a textured sole. Boot is 12" high and comes in sizes S-2XL. Specify sizes when ordering. Yellow. Sold by the pair.

Item No	Description	EA	10
RAI24009002	HAZMAT Latex Boot	00.00	00.00



Chemical Overboot

The simple design of the Chemical Overboot makes it convenient to use for quick chemical protection. Constructed of durable Hazmax® material for superior chemical resistance. Slip-resistant four-way cleated sole is self-cleaning. A special fold line on 10" boot allows a snug fit. Kick-off lug provides hands-free removal. Chemical

overboots are ideal for emergency responders, HAZMAT technicians and site remediation workers. Meets NFPA standards. Available in a 4" Galosh or a 10" Overboot. Green. Available in sizes S-2XL. Sold by the pair.

Item No	Description	EA	10
BAT87040	4" Galosh	00.00	00.00
BAT87025	10" Overboot	00.00	00.00

LITE 'N GRIT™		
Shoe Size	Mens	Womens
Small/Med	6-9	7-10
Large	10-11	11-12
XLarge	12-16	13+

RUBBER OVERSHOES & BOOTS		
Small	Medium	Large
6½ - 8	8 - 9½	9½ - 11
XLarge	2XLarge	3XLarge
11 - 12½	12½-14	14 - 12½



Supertuff®
Pullover Boot



Supertuff® Pullover Boot

Economical, all-purpose boot slips on easily over work shoes. Made of flexible rubber material, it features knit lining and adjustable top strap for a comfortable fit. Black cleated outsole provides excellent traction on slippery surfaces. Ideal for most industrial applications. Boot is 17" high and comes in sizes 7-16. Specify sizes when ordering. Yellow. Sold by the pair.

Item No	Description	EA	10
RAI24009070	17" Supertuff® Pullover Boot, Black	00.00	00.00
RAI24009085	17" Supertuff® Pullover Boot, Yellow	00.00	00.00



Supertuff® Buckle



Supertuff® Buckle Arctic Boot

The Supertuff® Boot with buckles. Flexible rubber material slips on easily. Adjustable, noncorrosive buckles provide an excellent fit. Features net lining, cleated outsole and self-draining gusset. Ideal for construction and highway repair. Boot is available 12" high with four buckles, and 14" high with five buckles. Specify sizes 6-14 when ordering. Black. Sold by the pair.

Item No	Description	EA	10
RAI24009011	12" Supertuff® 4-Buckle Arctic Boot	00.00	00.00
RAI24009021	14" Supertuff® 5-Buckle Arctic Boot	00.00	00.00

Supertuff
Knee Boot

RAI24009033

Supertuff® Knee Boot



Supertuff® Hip Boot



Supertuff® Hip and Knee Boots

Constructed of durable, flexible hand-plied rubber, Supertuff® Hip and Knee Boots provide complete waterproof protection. Features include a net lining and sponge insole for a comfortable fit. A steel shank and an optional ANSI-approved steel toe provide added strength and protection. The black cleated outsole offers excellent traction. Ideal for construction, municipalities and agriculture. Hip Boots are 32" high, making them ideal for commercial fishing industries. Black. Knee Boots available in sizes 6-13; Hip Boots available in sizes 6-14. Sold by the pair.

Item No	Description	EA	10
RAI24009033	Supertuff® Knee Boot, Plain Toe	00.00	00.00
RAI24009043	Supertuff® Knee Boot, Steel Toe	00.00	00.00
RAI24009089	Supertuff® Hip Boot, Plain Toe	00.00	00.00
RAI24009091	Supertuff® Hip Boot, Steel Toe	00.00	00.00



(a) General requirements: Each affected employee shall wear protective footwear when working in areas where there is a danger of foot injuries due to falling or rolling objects, or objects piercing the sole, and where such employee's feet are exposed to electrical hazards.

(b) Criteria for protective footwear. (1) Protective footwear purchased after July 5, 1994 shall comply with ANSI Z41-1991 for impact and compression protection.



Commander® Nitrile/PVC Boot

The highly abrasion-resistant 16" Commander® boot is made of a durable nitrile/PVC blend. The net lining allows it to slip on and off easily. It features a molded-in insole, steel shank and steel toe. Power-Trac™ outsole provides superior traction. Resists animal fats, petroleum, oils, greases and chemicals. Specify sizes 6-13 when ordering. Black with Red outsole. Steel toe meets ANSI standards. Sold by the pair.

Item No	Description	EA	10
LAC89701	Commander® Nitrile/PVC Boot, Steel Toe	00.00	00.00



Commander®



Purolite™ Polyurethane Boot

The Purolite™ is made of CFC-free, water-blown polyurethane, making it up to 50% lighter than neoprene or PVC. Nylon lining makes it easy to pull on and off. Inner lining prevents fungus growth. It features a removable cushion insole, steel toe and a cleated polyurethane outsole for excellent grip and slip resistance. Ideal for electrical hazard use, it exceeds the ANSI electrical hazard test at 14 Kv for one minute. Resists animal fats, petroleum, oils, greases and chemicals. Available in a Men's 16" boot, sizes 6-13. Steel toe meets ANSI standards. Sold by the pair.

Item No	Description	EA	10
LAC54522	Purolite™ Polyurethane Boot, Plain Toe	00.00	00.00
LAC54526	Purolite™ Polyurethane Boot, Steel Toe	00.00	00.00



Purolite™



Goliath™ Urethane/PVC Knee Boot

The Goliath™ will stand up to the most adverse environmental conditions. Made of a special urethane/PVC compound, this 16" steel-toed boot is highly resistant to acids, oils, greases, chemicals and animal fats. The injection-molded, one-piece construction is highly abrasion-resistant and 100% waterproof. The Power-Trac™ design on the outsole provides excellent traction, both indoors and outdoors. Features net lining and one-piece steel shank. Specify sizes 5-14 when ordering. Black with Gray outsole. Sold by the pair.

Item No	Description	EA	10
LAC89635	Goliath™ Urethane/PVC Boot, Plain Toe	00.00	00.00
LAC89735	Goliath™ Urethane/PVC Boot, Steel Toe	00.00	00.00



Goliath™



Buffalo™ PVC Knee Boot

The Buffalo is a 16" high boot made of high-quality, low-cost PVC. The net lining allows the boot to slip on and off easily. Features an integrated insole and a V-bar molded shank. The lug outsole is excellent for wet, muddy conditions. Highly resistant to abrasion. Steel toe provides extra protection. Specify sizes 3-14 when ordering. Black. Sold by the pair.

Item No	Description	EA	10
LAC87401	Buffalo™ PVC Boot, Plain Toe	00.00	00.00
LAC87801	Buffalo™ PVC Boot, Steel Toe	00.00	00.00



Buffalo™

PVC Work Shoe

This 6" Work Shoe is made of high-quality, low-cost PVC. The lug outsole is excellent in conditions where chemical resistance is not a priority. It has a removable fleece insole, a V-bar molded shank and a steel toe. Specify sizes 6-13 when ordering. Black. Steel toe meets ANSI standards. Sold by the pair.



Item No	Description	EA	10
LAC86121	6" PVC Work Shoe, Steel Toe	00.00	00.00



Triple Density Technology™ (TDT) Knee Boots

Triple Density Technology™ (TDT) integrates three differently formulated compounds, each a different color, that are injection-molded to create a high-performance boot that is exceptionally comfortable and durable. The perimeter of the outsole uses a high-density compound for abrasion resistance. The midsole and interior of the outsole use a compound formulated for excellent grip. A third compound forms the foot and upper. This compound is formulated for flex and fit, and resistance to chemicals and abrasives. An ergonomic footbed combines with a replaceable contoured cushion insole for superior comfort. The outsole design greatly increases boot contact with the floor, providing outstanding traction. Other features include a steel shank that fully bridges the instep, a high and wide kick-off lug, self-cleaning triangular cleats and the look of leather grain. Servus™ knee boots incorporate a graduating knee-to-foot ratio: the larger the foot size, the taller the upper.

Pro™ Knee Boot

A foot-fitting design, ergonomic footbed and TDT™ construction make the Servus™



Pro™ Knee Boot one of the most comfortable injection-molded boots available. Excellent abrasion resistance, superior traction and resistance to job-related chemicals combine with seamless 100% waterproof construction. Includes all the great Servus™ features, plus a steel toe. Ideal for meat, petroleum, chemical and food processing industries. Specify mens sizes 5-15 and womens sizes 5-11 when ordering. Black. Other colors available upon request. Sold by the pair.

Item No	Description	EA	10
SER75101	Men's	00.00	00.00
SER75103	Women's	00.00	00.00



Neoprene Duraguard™ Boot

Provide an extra measure of foot protection with the Neoprene Duraguard™, which features a lightweight metatarsal guard for extended impact protection. The metatarsal guard “floats” on top of the foot, so it will not hinder mobility. Made of triple-dipped neoprene latex for excellent resistance to most deteriorating elements. Seamless construction remains waterproof and pliable in harsh conditions. Chevron® outsole provides excellent traction. SAFE-TOE® steel toe offers added impact protection. Features comfortable fabric linings and cushioned insole. Noninsulated. Meets ANSI specifications. Made in the USA. Copper with Tan

sole. Specify sizes 5-13 when ordering. Sold by the pair.

Item No	Description	EA	10
SER22206	Neoprene Duraguard™, Steel Toe	00.00	00.00



HZT™ Knee Boot

A special TDT™ construction enables the Servus™ HZT™ HAZMAT Knee Boot to excel in the worst possible conditions. Foot-fitting design, ergonomic footbed and contoured cushion insole combine to provide a high level of comfort in this hazardous-duty injection-molded boot. Includes all the great features of Servus™ boots, including seamless 100% waterproof construction, plus a steel toe and puncture-resistant steel midsole. Specify sizes 3-15 when ordering. Other colors available upon request. Black. Sold by the pair.

Item No	Description	EA	10
SER75107	HZT™ Knee Boot, Steel Toe	00.00	00.00



XTP™ Knee Boot

Formulated to withstand the unique challenges of poultry processing and other industrial environments. The XTP™ (Xtra Traction Performance) Knee Boot employs TDT™ construction to create an interior outsole made of an exceptionally high-traction compound. This combines with the flat sole design and self-cleaning outsole tread to provide superior slip resistance. The outsole and upper compounds are formulated to resist fats, oils and organic wastes. Includes all the great features of Servus boots, including seamless 100% waterproof construction and a steel toe. Specify mens sizes 5-15 and womens sizes 5-11 when

ordering. Stocked in Black/Yellow/Gray. Other colors available upon request. Sold by the pair.

Item No	Description	EA	10
SER75109	XTP Knee Boot, Men's Size	00.00	00.00
SER75111	XTP Knee Boot, Women's Size	00.00	00.00



PRM™ Knee Boot

The PRM™ is a 15" puncture-resistant Knee Boot created with Triple Density Technology™ (TDT) for rugged durability in industrial applications. SAFE-STEP stainless steel, puncture-resistant midsole, SAFE-TOE® steel toe cap and extended steel shank provide added strength and protection. Comfortable FOOT FORM contour cushion insole is removable and washable. Self-cleaning TDT outsole is abrasion-resistant and offers excellent traction. Meets ANSI specifications. Waterproof. Made in the USA. Available in Men's Sizes 5-15. Sold by the pair.

Item No	Description	EA	10
SER75141	PRM™ Knee Boot, Steel Toe	00.00	00.00



Polymax® Knee Boot

Using new high-molecular weight resins, the Polymax® Knee Boot provides superior protection against penetration and contamination in a wide variety of work environments. Its features provide an economical alternative to more expensive neoprene boots. Self-cleaning Bata Ultragrip® Sipe Sole offers excellent slip resistance. Seamless construction provides superior leak protection. Optional steel toe protects against impact. Other features include a built-in steel shank, toe and heel bumpers, extra outside ankle protection, a kick-off lug and 12" and 14" cutoff lines. Ideal for use in red meat processing, oil rigs, chemical plants, hazardous waste management and food processing applications. Rust with Beige sole. Available in Men's sizes 5-15. Sold by the pair.



Superpoly® Knee Boot

The Superpoly® Knee Boot is constructed of a urethane/PVC compound for use in severe applications. The nonslip cleated sole is self-cleaning. A molded-in pant stay and steel shank provide excellent support and safety. Optional steel safety toe offers extra protection. Pull-up and kick-off lugs provide easy donning and removal. Cushion insole is removable and washable. Ideal for food processing, chemical plants and canneries. Brick Red with Beige sole. Available in Men's sizes 5-13. Sold by the pair.

Item No	Description	EA	10
BAT85301	16" Plain Toe	00.00	00.00
BAT85302	16" Steel Toe	00.00	00.00

Item No	Description	EA	10
BAT84075	16" Plain Toe	00.00	00.00
BAT84076	16" Steel Toe	00.00	00.00



Hazmax® Knee Boot

The Hazmax® Knee Boot features a 16" injection-molded seamless construction for excellent durability and protection. The high-visibility green upper includes a steel toe, full steel midsole and steel ladder shank to protect against penetration and contamination. The easy-to-clean Bata Ultragrip® Sipe Sole is ergonomically designed for durability and slip resistance. Comfortable Footbed® insoles are replaceable. Nonabsorbent polyester lining keeps feet dry and can be cleaned easily. Includes a kick-off lug for hands-free removal. The 17" **Strapper** features with a non-conductive adjustable polyester strap, nonmetallic buckle and snaps. It also over most work shoes and boots and has a self-

cleaning, slip-resistant cleated sole. Meets NFPA guidelines for chemical permeation resistance and flammability resistance. Green with a Yellow sole. Available in Men's Sizes 6-15. Sold by the pair.

Item No	Description	EA	10
BAT87012	16" Knee Boot	00.00	00.00
BAT87050	17" Strapper	00.00	00.00



Bluemax Knee Boot

The Bluemax Knee Boot is specially formulated from technologically advanced polymers for excellent durability. It features a steel shank for firm support. The Bata Ultragrip® Sipe Sole is abrasion-resistant and offers superior traction. A kick-off lug allows easy, hands-free removal. An ANSI-approved steel toe is available for additional protection against impact and compression. The Bluemax is ideal for the poultry and food processing industries. CSA certified. Blue with White sole. Available in Men's sizes 6-15. Sold by the pair.

Item No	Description	EA	10
BAT89101	Bluemax Knee Boot, 16" Plain Toe	00.00	00.00
BAT89102	Bluemax Knee Boot, 16" Steel Toe	00.00	00.00



Chevron®



SafetyLoc



Neoprene Over-The-Sock Snuglegs

Tingley boots' liquid-neoprene-dipped, multi-ply construction outwears natural rubber boots by several lifetimes. Every boot is dipped in neoprene latex to provide leak protection before outsole, foxing and toe cap go on. Neoprene latex also provides protection against oil swell, abrasion and adhesion problems. Net lining and cushioned insole give a snug fit with added comfort. Choose skid-resistant Chevron® outsoles for a barrier against scraps and waste, or SafetyLoc outsoles for a sure grip on wet floors in cleaner areas. Steel toe provides added protection. Specify sizes 6-13 when ordering. Meets ANSI Z41PT 83 MI/75 C/75 standard. Sold by the pair.

Order No.	Description	EA	10
TIMB921B	Neoprene Boot, 15" Men's Steel Toe	00.00	00.00
TIMB924B	Neoprene Boot, 12½" Men's Steel Toe	00.00	00.00



Servus™ Studs™ Rubber Pullover

Use the convenient heel pull tab to pull on the Studded Rubber Pullover. Fits over any shoe or boot to provide excellent traction. Made of industrial grade rubber and dielectric materials with tungsten carbide studs that pop out when snagged to protect against tripping. Not recommended for indoor use. SR102 is designed to be worn over dress shoes. Specify sizes S-XL when ordering. Sold by the pair.



Servus™ Studs™ Replacement Stud Package

Even the most rugged studs will eventually wear. When that happens, replacement is easy with the Servus™ Studs™ replacement package.

Studs™ Replacement Package Contents:

- Six Tungsten Carbide Studs
- Extractor Tool To Remove Old Stud Buttons
- Inserter Tool For Insertion Of New Studs



Servus™ Grit® Sole Pullover

Slips and falls are among the most common causes of industrial injuries. Reduce them with Grit® pullovers. Aluminum oxide grit is molded into the ribbed tread design of the industrial grade rubber pullover, providing excellent traction in slippery conditions. The pull-on heel tab makes them easy to don over any shoe or boot. Completely dielectric. Specify sizes S-XL when ordering. Black. Sold by the pair.



Full Cushion Insoles

Insoles provide support and cushioning to reduce foot discomfort and help evenly distribute body weight to minimize the stresses on the knees and back. Sold by the pair

Item No	Description	Size	EA	10
SERSR101	Servus™ Studs™ Studded Pullover, Work	S-XL	00.00	00.00
SERSR102	Servus™ Studs™ Studded Pullover, Dress	S-XL	00.00	00.00
SERSR201	Servus™ Studs™ Replacement Stud Package		00.00	00.00
SERSR103	Servus™ Grit® Pullover	S/M, L	00.00	00.00

Item No.	Description	EA	10
VIS4781	Size A	00.00	00.00
VIS4782	Size B	00.00	00.00
VIS4783	Size C	00.00	00.00
VIS4784	Size D	00.00	00.00

FULL CUSHION INSOLES			
	Size B	Size C	Size D
Mens Size	5 - 7	8 - 10	10 - 12
Womens Size	7 - 9	10 - 12	11 - 13

GUARDS Toe Guards

Protect toes from injury with this 16-gauge carbon steel Toe Guard. Weighs only 12 oz, yet can withstand an impact of over 75 foot-pounds. Exceptionally comfortable. The quick fastener and adjustable strap make it easy to put on. Available in sizes for men and women. Men's width is 4.5", women's width is 4". Sold by the pair.



Item No	Description	EA	10
ELW702M	Men's	00.00	00.00
ELW702W	Women's	00.00	00.00



ELLWOOD SAFETY

Metatarsal Guard

Gain comfortable, low-cost metatarsal protection from this aluminum alloy Metatarsal Guard. Designed to be worn with most lace-type steel-toed safety shoes, it can withstand an impact of over 75 foot-pounds. Weighs only 4½ oz. One size fits all. Sold by the pair.

Item No	Description	EA	10
ELW800	Aluminum Metatarsal Guard	00.00	00.00

ELLWOOD SAFETY

Plastic Foot Guard

Enjoy economical foot protection with this lightweight, comfortable foot guard. Made of rugged ¼" Thermo-Foam plastic to withstand an impact of 30 foot-pounds. Slips on and off easily using the rubber straps on heel and toe. Weighs only 5 oz. One size fits all. Sold by the pair.



Item No	Description	EA	10
ELW500	Plastic Foot Guard	00.00	00.00



ELLWOOD SAFETY

Foot Guard with Rubber Toe

Provide maximum protection to the entire foot with this high-quality Foot Guard. Made of an aluminum alloy to withstand an impact of 75 foot-pounds. Foot guard has a rubber toe clip and is secured to the foot by a one-piece rubber strap with a tension buckle. Mens sizes Regular and XL. Regular width is 5.5", XL width is 6". Sold by the pair.

Item No	Description	EA	10
ELW200	Aluminum Foot Guard	00.00	00.00